



Project Title: Rotherham Crematorium & Cemetery

WS08

Project Number: 10/1468

Client: TCMG

Sheet 1 Of 1

GL (mAOD):

N Coord: 0

E Coord: 0

Date: 22/08/2020

Method: Window Sampler

Driller: WB Drilling

Logged By: SP

Depth (m)	Type	Test Result	Level	Legend	Depth (m)	Description	Water	Standpipe
0.50	ES				0.20	MADE GROUND: Grass over orangish brown silty CLAY with occasional rootlets.		
1.20 - 1.65 1.20 - 1.65	D SPT	N=0			1.00	MADE GROUND: Soft greyish brown gravelly clay with a medium cobble content. Gravel is angular to rounded fine to coarse of brick, glass, sandstone, plastic, metal and timber. Cobbles are subangular to angular of brick.		
2.00 - 2.45 2.00 - 2.45	D SPT	N=26			2.00			
2.50 2.60 - 2.88 2.60 - 2.88	ES D SPT	pp 50/230mm			2.30	Soft becoming very stiff yellowish brown mottled blue CLAY.		
					2.88	End Of Borehole At 2.88 m		
					3.00			
					4.00			
					5.00			
					6.00			
					7.00			
					8.00			

KEY

- D - Disturbed Sample
- B - Bulk Sample
- U - Undisturbed
- W - Water Sample
- S - Standard Penetration Test
- C - Cone Penetration Test
- N - Penetration Test 'N' Value
- V - Hand Shear Vane kPa
- Groundwater Strike
- Groundwater Level



REMARKS

No Groundwater Encountered
Borehole terminated at 2.88m
due to SPT refusal.

Scale: 1:50

Water Strikes

Date	Strike	Level	Minutes	Casing	Sealed

Daily Log Of Depths

Chiselling

Date	Casing	Water	From	To	Hours