



Project Title: Rotherham Crematorium & Cemetery

WS10

Project Number: 10/1468

Client: TCMG

Sheet 1 Of 1

GL (mAOD):

N Coord: 0

E Coord: 0

Date: 22/08/2020

Method: Window Sampler

Driller: WB Drilling

Logged By: SP

Depth (m)	Type	Test Result	Level	Legend	Depth (m)	Description	Water	Standpipe
0.30	ES					Grass over soft dark brown SILT with rare rootlets. (Topsoil)		
0.60	ES				0.50	Firm to stiff light greyish blue mottled orangish brown CLAY.		
1.20 - 1.65	D SPT				1.00			
1.20 - 1.65	D SPT							
2.00 - 2.45	D SPT	N=9			1.90	Yellowish brown weathered SILTSTONE.		
2.00 - 2.45	D SPT	N=45			2.00			
2.90 - 3.10	D SPT	pp 50/155mm			2.80	Black weathered COAL		
2.90 - 3.10	D SPT				3.00	Pale yellowish weathered SANDSTONE and SILTSTONE.		
					3.10			
						End Of Borehole At 3.10 m		
					4.00			
					5.00			
					6.00			
					7.00			
					8.00			

KEY

- D - Disturbed Sample
- B - Bulk Sample
- U - Undisturbed
- W - Water Sample
- S - Standard Penetration Test
- C - Cone Penetration Test
- N - Penetration Test 'N' Value
- V - Hand Shear Vane kPa
- Groundwater Strike
- Groundwater Level



REMARKS

No Groundwater Encountered
Borehole installed with a ground gas/ groundwater monitoring well.

Scale: 1:50

Water Strikes

Date	Strike	Level	Minutes	Casing	Sealed

Daily Log Of Depths

Chiselling

Date	Casing	Water	From	To	Hours