



Project Title: Rotherham Crematorium & Cemetery

WS09

Project Number: 10/1468

Client: TCMG

Sheet 1 Of 1

GL (mAOD):

N Coord: 0

E Coord: 0

Date: 22/08/2020

Method: Window Sampler

Driller: WB Drilling

Logged By: SP

Depth (m)	Type	Test Result	Level	Legend	Depth (m)	Description	Water	Standpipe
0.30	ES					<p>MADE GROUND: Grass over dark brown slightly gravelly SILT with occasional rootlets. Gravel is angular to sub-rounded fine to coarse of sandstone, brick and decaying wood.</p> <p>Yellowish grey completely weathered banded SILTSTONE recovered as very stiff SILT with sandy partings.</p>		
0.60	ES			0.50				
1.20 - 1.65	D SPT	N=12			1.00			
1.20 - 1.65	D SPT				2.00			
1.90 - 2.18	D SPT	pp 50/225mm			2.18	End Of Borehole At 2.18 m		
					3.00			
					4.00			
					5.00			
					6.00			
					7.00			
					8.00			

KEY

- D - Disturbed Sample
- B - Bulk Sample
- U - Undisturbed
- W - Water Sample
- S - Standard Penetration Test
- C - Cone Penetration Test
- N - Penetration Test 'N' Value
- V - Hand Shear Vane kPa
- Groundwater Strike
- Groundwater Level



REMARKS

No Groundwater Encountered

Scale: 1:50

Water Strikes

Date	Strike	Level	Minutes	Casing	Sealed

Daily Log Of Depths

Chiselling

Date	Casing	Water	From	To	Hours